
Ελληνικό Ζωολογικό Αρχείο
Hellenic Zoological Archives

Number 3, December 1994

**ΚΑΤΑΛΟΓΟΣ ΤΩΝ ΔΗΜΟΣΙΕΥΣΕΩΝ ΠΑΝΩ ΣΤΗ
ΔΟΜΗ ΤΩΝ ΒΙΟΚΟΙΝΩΝΙΩΝ ΚΑΙ ΤΗΝ ΑΦΘΟΝΙΑ
ΤΩΝ ΕΙΔΩΝ ΤΗΣ ΕΔΑΦΟΠΑΝΙΔΑΣ ΣΤΑ
ΜΕΣΟΓΕΙΑΚΟΥ ΤΥΠΟΥ ΟΙΚΟΣΥΣΤΗΜΑΤΑ**

**LIST OF PUBLICATIONS ON COMMUNITY
STRUCTURE AND SPECIES RICHNESS OF THE
SOIL FAUNA IN MEDITERRANEAN - TYPE
ECOSYSTEMS**

A. Legakis



**ΕΛΛΗΝΙΚΗ ΖΩΟΛΟΓΙΚΗ ΕΤΑΙΡΕΙΑ
HELLENIC ZOOLOGICAL SOCIETY**

LIST OF PUBLICATIONS ON COMMUNITY STRUCTURE AND SPECIES RICHNESS OF THE SOIL FAUNA IN MEDITERRANEAN-TYPE ECOSYSTEMS

by A. LEGAKIS

Zoological Museum, Dept. of Biology, Univ. of Athens,
Panepistimioupolis, 157 84 Athens, Greece

Introduction and summary

Ecological aspects of the soil fauna of Mediterranean-type ecosystems are poorly known. Most of the specific articles that have appeared deal with the ecology of particular animal groups or species whilst few are concerned with the community as a whole. This bibliography includes publications on community structure and species richness of the mediterranean-type soil fauna. It does not include publications on species but it contains references on communities of specific groups.

The term mediterranean-type ecosystems was taken at its wide sense, that is it includes more or less all areas with a mediterranean climate, from dry *Thymelaea* regions of Egypt to mediterranean montane forests of Spain.

Several publications have certainly been missed but it is hoped that with the comments of everyone interested, a more complete version will be possible in the near future.

Εισαγωγή και περίληψη

Οι οικολογικές απόψεις της εδαφοπανίδας των οικοσυστημάτων μεσογειακού τύπου είναι πολύ λίγο γνωστές. Τα περισσότερα από τα δημοσιευμένα άρθρα ασχολούνται με την οικολογία συγκεκριμένων ζωικών ομάδων ή ειδών ενώ πολύ λίγα αντιμετωπίζουν τις βιοκοινωνίες ως ολότητες. Αυτή η βιβλιογραφία περιλαμβάνει δημοσιεύσεις πάνω στη δομή των βιοκοινωνιών και την αφθονία των ειδών της εδαφοπανίδας των μεσογειακού τύπου οικοσυστημάτων. Δεν περιλαμβάνει δημοσιεύσεις που αναφέρονται σε είδη αλλά περιέχει αναφορές στις βιοκοινωνίες συγκεκριμένων ομάδων.

Ο όρος μεσογειακού τύπου οικοσύστημα θεωρήθηκε με την πλατειά του έννοια, δηλαδή περιλαμβάνει σχεδόν όλες τις περιοχές που έχουν μεσογειακού τύπου κλίμα, από τις ξηρές περιοχές της Αιγύπτου με *Thymelaea* έως τα μεσογειακά ορεινά δάση της Ισπανίας.

Αρκετές δημοσιεύσεις θα λείπουν αλλά ελπίζεται ότι με τα σχόλια όλων των ενδιαφερομένων, θα γίνει δυνατή μια περισσότερο πλήρης έκδοση στο μέλλον.

List

- Abbott I. 1984. Changes in the abundance and activity of certain soil and litter fauna in the Jarrah forest of Western Australia after a moderate intensity fire. *Aust.J.Soil Res.* **22**: 463-469.
- Abbott I. 1985. Indigenous earthworms (Megasclecidae) in Jarrah forest of Western Australia. In: P. Greenslade, J.D. Majer (eds.), Soil and litter invertebrates of Australian mediterranean-type ecosystems. *WAIT School of Biology Bull.* **12**: 27.
- Abbott I., Majer J.D., Mazanec Z. 1986. Annotated bibliography of forest entomology in Western Australia to 1985. *Dept. of Conservation and Land Management Tech.Rep.* No. **14**, 71pp.
- Acosta F.J., Serrano J.M., Zorrilla J.M. 1988. La densidad como condicionante de la autoorganizacion espacial en comunidades de hormigas. *Revue Ecol.Biol.Sol* **25**(1): 115-127.
- Acosta Salmeron F.J., Martinez Ibanez M.D., Morales M. 1983. Contribucion al conocimiento de la mirmecofauna del encinar peninsular. 1. (Hym. Formicidae). *Bol.Asoc.esp.Entom.* **6**(2): 379-391.

- Acosta Salmeron F.J., Martinez Ibanez M.D., Serrano Talavera J.M. 1983. Contribución al conocimiento de la mirmecofauna del encinar peninsular. II: principales pautas autoecológicas. *Bol.Asoc.esp.Entom.* 7: 297-306.
- Al Addan F., Aliaga R., Bouché M.B. 1991. Relations entre peuplements lombriciens et propriétés physiques de sols méditerranéens. In: G.K. Veeresh, D. Rajagopal, C.A. Viraktamath (eds.), *Advances in Management and Conservation of Soil Fauna*. Oxford & IBH, pp. 525-537.
- Alicata P., Arcidiacono R., Caruso D., Marcellino I. 1973. Distribution et fluctuations saisonnières des populations de quelques espèces d' Oribatides (Acariens) du sol d' un bois de chênes verts de l' Etna. *Revue Ecol.Biol.Sol* 10: 535-557.
- Anderson H. 1985. Native terrestrial molluscs of South Australian mediterranean areas. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* 12: 47-49.
- Arpin P. 1978. Aperçu sur la faune nématologique. In: P. Loissaint, M. Rapp, La forêt méditerranéenne de chênes verts (*Quercus ilex* L.). From: M. Lamotte, F. Bourlière (eds.), *Problèmes d'Écologie: Structure et fonctionnement des écosystèmes terrestres*, p. 139.
- Ascaso C., Barrientos J.A. 1986. Araneae: Comparación de los resultados anuales de dos métodos de muestreo indirecto. *Actas X Congr.int.Aracnol.* 1: 175-181.
- Asikidis M.D. 1989. *Dynamics and activity of oribatid mite populations in a maquis formation (Hortiatis)*. Doctoral Thesis, Univ. of Thessaloniki (in Greek).
- Asikidis M.D., Stamou G.P. 1991. Spatial and temporal patterns of an oribatid mite community in an evergreen-sclerophyllous formation (Hortiatis, Greece). *Pedobiologia* 35: 53-63.
- Asikidis M.D., Stamou G.P. 1992. Phenological patterns of oribatid mites in an evergreen-sclerophyllous formation (Hortiatis, Greece). *Pedobiologia* 36 (in press).
- Assi F. 1983. *Recherches écologiques sur le peuplement des Araignées d' une garrigue du Liban*. Thèse Dr. ès-Sciences, Univ. de Paris 6, 236 pp.
- Athias-Binche F. 1987. Modalité de la cicatrization des écosystèmes méditerranéens après incendie: Cas de certains arthropodes du sol 3. Les acariens Uropodides. *Vie Milieu* 37(1): 39-52.
- Athias-Binche F., Saulnier L. 1986. Modalité de la cicatrization des écosystèmes méditerranéens après incendie: Cas de certains arthropodes du sol 1. Introduction, stations d'étude. *Vie Milieu* 36(2): 117-124.
- Atkins M. 1977. Insect biomass and diversity. In: N.J.W. Thrower, D.E. Bradbury (eds.), *Chile-California mediterranean scrub atlas. A comparative analysis*. pp. 130-183.
- Baker G.H. 1985. Diplopoda of South Australian mediterranean areas. In: P.Greenslade , J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* 12: 50-53.
- Baroni Urbani C. 1968. Studi sulla mirmecofauna d' Italia V. Aspetti ecologici della riviera del M. Conero. *Boll.Zool.* 35: 39-76.
- Baroni Urbani C. 1978. Analyse de quelques facteurs autécologiques influençant la microdistribution des fourmis dans les îles de l' archipel toscan. *Mitt.schweiz.ent.Ges.* 51: 367-376.
- Barrientos J.A. 1985. Artrópodos epigeos del Macizo de San Juan de la Peña (Jaca, prov. de Huesca): IX. Arañas agelénidas y hahnidas. *Pirineos* 126: 81-131.

- Barrientos J.A. 1985. Artrópodos epigeos del Macizo de San Juan de la Peña (Jaca, prov. de Huesca): X. Arañas licósidas. *Pirineos* **126**: 133-162.
- Barrientos J.A., Blasco A., Ferrandez M.A., Godall P., Perez J.A., Rambla M., Urones M.C. 1985. Artrópodos epigeos del Macizo de San Juan de la Peña (Jaca, Prov. de Huesca). XIII. Familias de araneidos de escasa representación. *Pirineos* **126**: 211-234.
- Benois A., Du Merle P., Lafont J.P., Marro J.P. 1978. L'activité oophage de la myrmécofaune dans différents milieux du Mont Ventoux (Vaucluse). *Annl.S.Zool.Ecol.anim.* **10**(2): 205-219.
- Bernard F. 1977. Écologie des fourmis du Parc national de Port-Cros. *Bull.Mus.natn.Hist.nat.* (3)**441**: 1-82.
- Bernard F. 1980. Evaluations quantitatives des influences humaines sur les fourmis. *Ecol.medit.* **5**: 25-38.
- Bertrand M., Coineau Y. 1979. Étude écologique des microarthropodes du sol dans la série du chêne vert en Corse. *Ecol.medit.* **5**: 39-49.
- Bigot L., Bodot P. 1972. Contribution à l'étude biocoenotique de la garrigue à *Quercus coccifera* I. Étude descriptive de l'habitat et de la faune des Invertébrés inventoires. *Vie Milieu* **23**: 15-43.
- Bigot L., Bodot P. 1972. Contribution à l'étude biocoenotique de la garrigue à *Quercus coccifera* II. Composition biotique du peuplement des invertébrés. *Vie Milieu* **23**(2c): 229-249.
- Bigot L., Bodot P. 1973. Contribution à l'étude biocoenotique de la garrigue à *Quercus coccifera* III. Dynamique de la zoocoenose d'invertébrés. *Vie Milieu* **23**(2): 251-267.
- Blasco-Feliu A. 1985. Artrópodos epigeos del Macizo de San Juan de la Peña (Jaca, prov. de la Huesca): V. Notas sobre arañas migalomorfos. *Pirineos* **126**: 5-28.
- Bornemissza G.F. 1957. An analysis of arthropod succession in carrion and the effects of its decomposition on the soil fauna. *Aust.J.Zool.* **5**: 1-12.
- Bornemissza G.F. 1969. The reinvasion of burnt woodland areas by insects and mites. *Proc.ecol.Soc.Austr.* **4**: 138.
- Bouché M.B. 1975. Fonctions des Lombriciens III. Premières estimations quantitatives des stations françaises du P.B.I. *Revue Ecol.Biol.Sol* **12**: 25-44.
- Bouché M.B. 1978. Les lombriciens et la garrigue. *Annl.Soc.Hortic.Hist.nat.Herault* **118**(1): 23-24.
- Breytenbach W., Breytenbach G.T. 1988. The composition of fynbos epigeic invertebrates in the south western cape of South Africa. In: R.L. Specht (ed.), *Mediterranean-type ecosystems. A data source book.* pp. 200-201.
- Briese D.T. 1982. Partitioning of resources amongst seed harvesters in an ant community in semi-arid Australia. *Austr.J.Ecol.* **7**: 299-307.
- Briese D.T. 1982. Relationship between the seed-harvesting ants and the plant community in a semi-arid environment. In: R.C. Buckley (ed.), *Ant-plant interactions in Australia*, pp. 11-24.
- Briese D.T. 1982. The effect of ants on the soil of a semi-arid saltbush habitat. *Ins.Soc.* **29**(2): 375-386.
- Briese D.T., Macaulay B.J. 1977. Physical structure of an ant community in semi-arid Australia. *Austr.J.Ecol.* **2**: 107-120.

- Briese D.T., Macauley B.J. 1980. Temporal structure of an ant community in semi-arid Australia. *Austr.J.Ecol.* **5**: 121-134
- Briese D.T., Macauley B.J. 1981. Food collection within an ant community in semi-arid Australia, with special reference to seed harvesters, *Austr.J.Ecol.* **6**: 1-19.
- Campbell G. Tanton M.T. 1981. The effects of fire on the invertebrate fauna of soil and litter of a eucalypt forest. In: A.M. Gill, R.H. Groves, I.R. Noble (eds.), *Fire and the Australian biota*, pp. 215-241.
- Cancela da Fonseca J., Ghabbour S.I., Hussein A.K.M. 1984. Characterization of soil mesofauna in a xero-mediterranean ecosystem after a 3-year grazing management. *Ecol.medit.* **10**(1-2): 121-131
- Catling P.C., Daget P., Fox B., Greenslade P., Majer J.D., Orshan G., Rundel P.W., Specht R.L., Westman W.E. 1988. Climate, vegetation, vertebrates and soil/litter invertebrates of mediterranean-type ecosystems-data banks. In: R.L. Specht (ed.), *Mediterranean-type ecosystems, a data source book*. pp. 3-9.
- Cody M.L., Fuentes E.R., Glanz W., Hunt J.H., Moldenke A.R. 1977. Convergent evolution in the consumer organisms of mediterranean Chile and California. In: H.A. Mooney (ed.), *Convergent evolution in Chile and California*. pp. 144-192
- Covarrubias R. 1987. Artrópodos asociados al matorral costero: Acari Oribatida. *Acta Ent.Chilena* **14**: 49-58.
- Covarrubias R. 1991. Fluctuaciones estacionales de microartrópodos edáficos bajo especies vegetales en la Reserva Nacional Rio Clarillo (region Metropolitana, Chile). *Acta Ent.Chilena* **16**: 81-96.
- Covarrubias R., Orellana W., Valderas J. 1982. Sucesion de microartrópodos en la colonizacion de fecas de bovino. *Revue Ecol.Biol.Sol* **19**(3): 363-381.
- Covarrubias R., Rubio I., Di Castri F. 1964. Observaciones ecológico-cuantitativas sobre la fauna edáfica de zonas semiáridas del Norte de Chile (Provincias de Coquimbo y Aconcagua). *Monografias sobre Ecologia y Biogeografia de Chile* **2**: 109 pp.
- Covarrubias R., Rubio I., Di Castri F. 1965. Densidad edáfica en comunidades naturales e intervenidas del Norte Chico de Chile. *Invest.zool.chil.* No esp., 3o Congr.latinoam.Zool. pp. 19-23.
- De Kock A.E. 1990. *The Argentine ant, Iridomyrmex humilis Mayr, indigenous ants and other epigeaic invertebrates of the fynbos in relation to fire and vegetation age*. M.Sc. Thesis, Univ. of Stellenbosch, 164 pp.
- De Kock A.E., Giliomee J.H., Pringle K.L., Majer J.D. 1992. The influence of fire, vegetation age and argentine ants (*Iridomyrmex humilis*) on ant communities in Swartboskloof. In: B.W. van Wilgen, D.M. Richardson, J.F. Kruger, B.J. van Hensbergen (eds.), *Fire in South African mountain fynbos*.
- De los Santos A., Montes C., Ramirez-Diaz L. 1982. Spatial models of some populations of terrestrial Coleoptera in two ecosystems of the lower Guadalquivir River, southwestern Spain.. *Mediterr.* **6**: 65-92. (in Spanish).
- Di Castri F. 1960. Prime osservazioni sulla fauna del suolo di una regione delle Prealpi Venete (Monte Spitz, Recoaro). *Atti Ist.ven.Sci.Lett.Arti* **118**: 475-493
- Di Castri F. 1963. Estado biologico de los suelos naturales y cultivados de Chile Central. *Bol.Prod.anim.* **1**: 101-112
- Di Castri F. 1963. Etat de nos connaissances sur les biocoenoses édaphiques de Chili. In: J. Doeksen, J. van der Drift (eds.), *Soil organisms*. pp. 375-385

- Di Castri F. 1973. Soil animals in latitudinal and topographical gradients of mediterranean ecosystems. In: F. Di Castri, H.A. Mooney (eds.), *Mediterranean-type ecosystems. Origin and structure*, pp. 171-190
- Di Castri F., Astudillo V. 1965. Influencias climáticas, edáficas y estacionales en la densidad del fauna del suelo. *Invest.zool.chil.* No esp., 3o Congr.latinoam.Zool. pp. 41-45
- Di Castri F., Astudillo V. 1966. Análisis de algunas causas abióticas de variación en la densidad de la fauna del suelo. *Progr.Biol.Suelo, Actas 1o Coll.latinoam.Biol.Suelo* pp. 371-377
- Di Castri F., Astudillo V., Sáiz F. 1965. Aplicación de algunos conceptos cibernéticos al estudio de la estratificación de zoocenosis edáficas. *Invest.zool.chil.* No esp., 3o Congr.latinoam.Zool. pp. 1-7.
- Di Castri F., Hermosilla W., Sáiz F., Vitali-Di Castri V. 1961. Primeras prospecciones sobre la fauna edáfica chilena. *Bol.4o Conv.Med.Vet.Santiago* 4: 29-33.
- Di Castri F., Vitali-Di Castri V. 1981. Soil fauna of mediterranean-climate regions. In: F. Di Castri, D.W. Goodall, R.L. Specht (eds.), *Mediterranean-type shrublands*. pp. 445-478
- Donnelly D. 1983. *Comparison of community structure of the epigaeic fauna, with particular reference to ants and beetles, between fynbos sites under different management practices*. M.Sc. thesis, Univ. of Stellenbosch.
- Donnelly D., Giliomee J.H. 1985. Community structure of epigaeic ants in a pine plantation and in newly burnt fynbos. *J.ent.Soc.sth.Afr.* 48(2): 259-265.
- Donnelly D., Giliomee J.H. 1985. Community structure of epigaeic ants (Hymenoptera: Formicidae) in fynbos vegetation in the Jonkershoek Valley. *J.ent.Soc.sth.Afr.* 48(2): 247-257.
- Donnelly D., Giliomee J.H. 1988. The epigaeic invertebrate fauna in South African fynbos of different ages after fire. In: R.L. Specht (ed.), *Mediterranean-type ecosystems. A data source book*. pp. 201-204.
- Du Merle P. 1978. Les peuplements de fourmis et les peuplements d'acridiens du Mont Ventoux II. Les peuplements de fourmis. *La Terre et la Vie* 1978(suppl.): 161-218.
- Du Merle P. 1982. Ant visiting of shrubs and trees on a French mediterranean mountain. *Ins.Soc.* 29: 422-444
- Du Merle P. 1982. Fréquentation des strates arbustive et arborescente par les fourmis en montagne méditerranéenne française. *Ins.Soc.* 29(3): 422-444.
- Du Merle P., Jourdeuil P., Marro J.P., Mazet R. 1978. Évolution saisonnière de la myrmécofaune et de son activité prédatrice dans un milieu forestier: Les interactions clairière-lisière-forêt. *Annl.Soc.ent.Fr. (NS)*14(2): 141-157.
- Edmonds S.J., Specht M.M. 1981. Dark Island heathland, South Australia: Faunal rhythms. In: R.L. Specht (ed.), *Heathlands and related shrublands of the world. B. Analytical studies*. Elsevier, pp. 15-20.
- Force D.C. 1981. Post-fire insect succession in southern California chaparral. *Amer.Nat.* 117: 575-582.
- Force D.C. 1981. Postburn insect fauna in southern California chapparal. Proceedings of the Symposium on the Dynamics and Management of Mediterranean-type Ecosystems. *USDA For.Serv.Gen.Tech.Rep.* PSW-58.
- Fox B.J., Archer E., Fox M.D. 1988. Ant communities along a moisture gradient. *Proc.5th int.Conf.Medit. Ecosyst.* pp. 661-667.

- Fox B.J., Fox M.D. 1986. Resilience of animal and animal plant communities to human disturbance. In: B. Dell, A.J.M. Hopkins, B.B. Lamont (eds.), *Resilience in mediterranean-type ecosystems*, pp. 39-64.
- Ghabbour S.I. 1979. Soil invertebrates. In: M.A. Ayyad, M. Kassas (eds.), *Analysis and management of mediterranean desert ecosystems*. pp. 102-105.
- Ghabbour S.I. 1983. Population density and biomass of terrestrial isopods (Oniscoids) in the xero-mediterranean agro-ecosystems of Mariut region, Egypt. *Ecol.medit.* **9**(3-4): 3-17
- Ghabbour S.I. 1988. Research on soil fauna at the Department of Natural Resources, Institute of African Research and Studies, Cairo University. *Revue Zool.Afr.* **102**: 369-379.
- Ghabbour S.I. 1991. Towards a zoosociology of soil fauna. *Revue Ecol.Biol.Sol* **28**(1): 77-90.
- Ghabbour S.I., Cancela da Fonseca J., Mikhail W. 1983. The characterization of soil mesofauna at the Omayed biotopes, the Mariut area, Egypt. *Bull.Soc.bot.Fr.* **131**(2-4): 329-339.
- Ghabbour S.I., Cancela da Fonseca J., Mikhail W.Z.A., Shakir S.H. 1985. Differentiation of soil mesofauna in desert agriculture of the Mariut region. *Biol.Fert.Soils* **1**: 9-14.
- Ghabbour S.I., Cancela da Fonseca J., Shakir S.H. 1983. Characteristics of soil mesofauna in agro-ecosystems of the Mariut region, Egypt. *9th Congr.math.Biol.*, Paris 1983, 17 p. (typescript)
- Ghabbour S.I., Cancela da Fonseca J., Shakir S.H. 1988. Caractéristiques de la mésafaune du sol dans les agrosystèmes de la région de Mariout - Egypte. *Revue biomath.* **102**(2): 27-40.
- Ghabbour S.I., Mikhail W.Z.A. 1991. *Habitat classification in Egypt using soil fauna populations*. Manuscript, 43 pp.
- Ghabbour S.I., Mikhail W.Z.A., Rizk M.A. 1977. Ecology of soil fauna of mediterranean desert ecosystems in Egypt I. Summer populations of soil mesofauna associated with major shrubs in the littoral sand dunes. *Revue Ecol.Biol.Sol* **14**: 429-459
- Ghabbour S.I., Mikhail W.Z.A., Rizk M.A. 1988. Réponses de la mésafaune du sol à la contrainte hydrique dans un écosystème xero-méditerranéen: le cas des écosystèmes de Mariout, Egypte. *Proc.5th int Conf.medit.Ecosyst.* pp. 675.
- Ghabbour S.I., Mikhail W.Z.A., Rizk M.A., Hashish M.H.A. 1977. *Invertebrates: soil fauna, SAMDENE project*. Univ. of Alexandria. Progress Report No 3, I (8): 58pp.
- Ghabbour S.I., Shakir S.H. 1980. Ecology of soil fauna of mediterranean desert ecosystems in Egypt III. Analysis of *Thymelaea* mesofauna populations in the Mariut frontal plain. *Revue Ecol.Biol.Sol* **17**: 327-352.
- Ghabbour S.I., Shakir S.H. 1981. Some features of important taxa of soil mesofauna in an Afro-mediterranean coastal desert I. General considerations of soil mesofauna in agro-ecosystems. *Cairo Univ.afz.Stud.Rev.* **10**: 1-21.
- Giliomee J.H. 1992. Factors disturbing insects in a fynbos reserve. In: C.A. Thanos (ed.), *Plant-animal interactions in Mediterranean-type ecosystems*. Proc.6th int.Conf.Medit.Clim.Ecosyst. pp. 133-139.
- Goma J., Acosta F.J., Fernandez Larios P., Serrano J.M., Zorrilla J.M. 1988. La colonizacion de eriales cerealistas como inferencia sucesional. *Graellsia* **44**: 19-30.
- Greenslade P. 1974. Ecological and zoogeographical notes on Collembola of Kangaroo Island, South Australia. *Pedobiologia* **14**: 256-265.

- Greenslade P. 1977. Collembola. In: M.R. Foale (ed.), *Innes National Park, a survey conducted by the Nature Conservation Society of South Australia*, pp. 35-40.
- Greenslade P. 1985. Phenology and diversity of epigaeic Collembola in the Mt. Lofty Ranges, South Australia. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems. WAIT School of Biology Bull. 12*: 60-62
- Greenslade P. 1986. Small arthropods. In: H.R. Wallace (ed.), *The ecology of the forests and woodlands of South Australia*. pp. 144-153.
- Greenslade P. 1988. Density and seasonality of epigaeic fauna in South Australia. In: R.L. Specht (ed.): *Mediterranean-type ecosystems. A data source book*. pp. 199-200.
- Greenslade P. 1988. The Collembola. In: R.L. Specht (ed.). *Mediterranean-type ecosystems. A data source book*. pp. 212-216.
- Greenslade P. 1988. The composition of epigaeic fauna in southern France. In: R.L. Specht (ed.). *Mediterranean-type ecosystems. A data source book*. pp. 211-212.
- Greenslade P., Greenslade P.J.M. 1977. Effects of vehicles on arthropods inhabiting the soil surface. In: D.D. Gilbertson, M.R. Foale. *The southern Coorong and lower Youngusband Peninsula of South Australia*, pp. 93-98.
- Greenslade P., Majer J.D. 1980. Collembola of rehabilitated mine sites in Western Australia. In: D. Dindal, *Soil Biology as related to land use practices*, pp. 397-408.
- Greenslade P., Majer J.D. 1985. Soil and litter invertebrates of Australian mediterranean-type ecosystems. *WAIT School of Biology Bull. 12*: 93pp.
- Greenslade P., Rosser G. 1984. Fire and soil-surface insects in the Mount Lofty Ranges, South Australia. *Proc. 4th int. Conf. medit. Ecosyst.* pp. 63-64
- Greenslade P.J.M. 1985. Some effects of season and geographic aspects on ants (Hymenoptera: Formicidae) in the Mt. Lofty Ranges, South Australia. *Trans. R. Soc. S. Austr.* **109**: 17-23
- Gross G. 1985. Seasonality and diversity of epigaeic insects in Adelaide. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems. WAIT School of Biology Bull. 12*: 43-46.
- Hall G.P. 1982. *Habitat preferences of dung beetles (Coleoptera: Scarabaeidae) in Badgingarra and Watheroo National Parks in winter*. Biology Project, WAIT
- Hermosilla W. 1962. *Observaciones ecológico-cuantitativas sobre la fauna edáfica del Cerro "El Roble"*. Thesis, Univ. de Chile, 50pp.
- Hindmarsh R., Majer J.D. 1977. Food requirements of the mardo (*Antechinus flavipes* (Waterhouse)) and the effect of fire on mardo abundance. *Western Australian Forests Dept. Res. Paper 31*: 13pp.
- Howard G.W. 1967. *Arthropods inhabiting pine litter in the south-east of South Australia*. Unpubl. thesis Dept. of Entomology, Waite Agric. Res. Inst., Univ. of Adelaide, 155pp
- Howard G., Greenslade P. 1985. Soil and litter arthropods from pine plantations in South Australia. In: P. Greenslade, J.D. Majer (eds), *Soil and litter invertebrates of Australian mediterranean-type ecosystems WAIT School of Biology Bull. 12*: 37-38
- Howden H.E. 1985. Species richness of geotrupine beetles (Scarabaeidae: Geotrupinae) in south-western Australia. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems. WAIT School of Biology Bull. 12*: 14-15.

- Hunt J.H. 1973. *Comparative ecology of ant communities on mediterranean regions of California and Chile*. Ph.D. thesis, Univ. of California at Berkeley.
- Hunt J.H. 1977. Ants. In: N.J.W. Throver, D.E. Bradbury (eds.), *Chile-California mediterranean scrub atlas*.
- Hutson B.R., Kirkby C.A. 1985. Populations of Collembola and Acarina in litter and soil of South Australian forests and the effect of a wildfire. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 34-36
- Hutson B.R., Veitch L.G. 1983. Mean annual population density of Collembola and Acari in the soil and litter of three indigenous south Australian forests. *Austr.J.Ecol.* **8**: 113-126.
- Iatrou G.D., Stamou G.P. 1989. Preliminary studies on certain macroarthropod groups of a *Quercus coccifera* formation (mediterranean-type ecosystem) with special references to the diplopod *Glomeris balcanica*. *Pedobiologia* **33**: 301-306
- Ipinza-Regla J.H., Covarrubias R., Morales M. 1990. Distribucion espacial de nidos de hormigas en un area precordillerana de Chile central. *Folia Ent.Mex.* **79**: 163-174.
- Karamaouna M. 1987. *Ecology of the diplopods in mediterranean conifer biotopes of southern Greece*. Doct. thesis, Univ. of Athens, 252pp. (in greek)
- Karamaouna M. 1990. On the ecology of the soil macroarthropod community of a Mediterranean pine forest (Sophico, Peloponnese, Greece). *Bull.Ecol.* **21**(1): 33-42
- Karamaouna M., Legakis A., Paraschi L., Blandin P. 1993. Étude d'un écosystème de maquis (île de Naxos, Cyclades, Grèce). Traits généraux du peuplement de macroarthropodes édaphiques. *Bull.Ecol.* (in press).
- Kheirallah A.M. 1980. Aspects of the distribution and community structure of isopods in the Mediterranean coastal desert of Egypt. *J.Arid.Environ.* **3**: 69-74.
- Kirk A.A., Ridsdill-Smith T.J. 1986. Dung beetle distribution patterns in the Iberian peninsula. *Entomophaga* **31**(2): 183-190.
- Koch L.E. 1985. Species richness of scorpions (Scorpionida) and scolopendrid (Scolopendridae) centipedes in south-western Australia. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 8-9.
- Koch L.E., Majer J.D. 1980. A phenological investigation of various invertebrates in forest and woodland areas in the south-west of Western Australia. *J.roy.Soc.West.Austr.* **63**: 21-28.
- Koen J.H., Breytenbach W. 1988. Ant species richness of fynbos and forest ecosystems in the southern Cape. *S.Afr.J.Zool.* **23**: 184-188.
- Lahoud L. 1978. *Dynamique des populations d' Oribates (Acariens) et d' autres microarthropodes dans le sol de deux stations du versant sud du massif de la Sainte Baume (Var)*. Thèse special, Univ. Aix-Marseille III, 224 pp.
- Lamotte M., Blandin P. 1989. Originalité et diversité des écosystèmes méditerranéens terrestres. *Biol. gallo-hellen.* **16**: 5-36.
- Lee D.C. 1985. Mites of South Australian soils. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 57-59.
- Legakis A. 1983. Aspects of the distribution of ants in an insular Mediterranean ecosystem (Cyclades is., Greece). *Rapp.Comm.int.Mer Medit.* **28**(8): 121-122

- Legakis A. 1987. Comparative study of the soil Arthropods of three ecosystems on Mount Hymettos (Attica, Greece). *Biol.gallo-hellen.* **12**: 371-375
- Legakis A. 1989. Aspects of the distribution of ants in an insular mediterranean ecosystem (Cyclades is., Greece). *Revue Ecol.Biol.Sol* **26**(3): 363-369
- Legakis A. 1993. Community structure and species richness in the Mediterranean-type soil fauna. In: M. Arianoutsou-Faraggitaki, R.H. Groves (eds.), *Plant-animal interactions in Mediterranean-type ecosystems*. Kluwer Academic Publ., pp. 37-45.
- Lions J.C. 1966. Contribution à l'étude écologique des Oribates (Acariens) du sol dans la chaîne de la Trevaresse (B.-d.-Rh.). *Revue Ecol.Biol.Sol* **3**: 495-510
- Lions J.C. 1972. *Écologie des Oribates (Acariens) de la Sainte Baume (Var)*. Thèse Dr. ès-Sciences, Univ. de Provence, 549 pp.
- Lions J.C. 1975. Application du concept de la diversité spécifique à la dynamique de trois populations d'Oribates (Acariens) de la forêt de Ste Baume (Var.) 1 pt: Resultats généraux et variabilité temporelle globale. *Ecol.medit.* **1**: 165-192
- Lions J.C. 1977. Application du concept de la diversité spécifique à la dynamique de trois populations d'Oribates (Acariens) de la forêt de Ste Baume (Var.) 2 pt.: Variabilité temporelle selon les différents niveaux prospectés. *Ecol.medit.* **3**: 85-104
- Lumaret J.P. 1977. Les scarabées coprophages de la garrigue. *Annl.Soc.Hort.Hist.nat.L'Herault* **117**: 98-108
- Lumaret J.P. 1980. Analyse des communautés de scarabéidés coprophages dans le maquis Corse et étude de leur rôle dans l' utilisation des excréments. *Ecol.medit.* **5**: 51-58
- Lumaret J.P., Kirk A. 1987. Ecology of dung beetles in the french mediterranean region (Coleoptera: Scarabaeidae). *Acta zool.mex.* (NS)**24**: 1-55.
- Lumaret R. 1981. Un exemple de caractères adaptatifs: moisson de panicules de dactyles (graminée) par des fourmis du genre *Messor* (Hymenoptera Formicidae) en milieu méditerranéen. *Acta oecol.Oecol.gen.* **2**(4); 343-353.
- Magioris S.N. 1985. Preliminary data on the annual evolution and activity of the soil mesofauna in two insular ecosystems. *Rapp.Comm.int.Mer Medit.* **29**(6): 117-120
- Magioris S.N. 1989. The arthropod fauna of the soil on the island of Ikaria, Aegean Sea, Greece. *Biol.gallo-hellen.* **15**: 153-158.
- Magioris S.N. 1991. *Ecology of soil arthropods in insular phryganic and degraded maquis ecosystems (Naxos is., Cyclades)*. Doct. thesis, Univ. of Athens, 209 pp. (in greek)
- Magioris S.N., Tsiourlis G.M. 1992. The role of the shrubs *Quercus coccifera* in the community structure of soil arthropods in two insular ecosystems (Is. of Naxos-Cyclades-Greece). In: C.A. Thanos (ed.), *Plant-animal Interactions in Mediterranean-type Ecosystems*, pp. 140-146.
- Mahnert V. 1985. Arthropodes épigés du Massif de San Juan de la Peña (Jaca, Huesca). III. Pseudoscorpions. *Pirineos* **124**: 73-86.
- Main B.Y. 1985. Richness of spiders (Araneae) in south-western Australia. In: P.Greenblade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 9-11.

- Majer J.D. 1977. Preliminary survey of the epigeic invertebrate fauna, with particular reference to ants, in areas of different land use in Dwellingup, Western Australia. *Forest Ecol.Manag.* **1**: 321-334.
- Majer J.D. 1978. Invertebrates and the Kojonup nature reserve fire management programme. *SWANS* **8**: 17-18.
- Majer J.D. 1978. Further notes on the food requirements of the mardo (*Antechinus flavipes* (Waterhouse)). *Western Australian Forests Dept. Res. Paper* **49**: 5pp.
- Majer J.D. 1980. A preliminary ecological study of the Wagerup ant fauna. *Alcoa environ.Res.Bull.* **3**: 19pp.
- Majer J.D. 1980. Report on a study of invertebrates in relation to the Kojonup nature reserve fire management plan. *WAIT School of Biology Bull.* **2**: 22pp.
- Majer J.D. 1981. Soil and litter invertebrates of the jarrah forest and woodland regions. In: R.A. Rummery, F.J. Hingston (eds.), *Managing nitrogen economies of natural and man-made forest ecosystems*. pp. 47-61.
- Majer J.D. 1983. Ants: Bio-indicators of minesite rehabilitation, land-use and land conservation. *Environ. Manag.* **7**(4): 375-383.
- Majer J.D. 1984. Short-term responses of soil and litter invertebrates to a cool autumn burn in Jarrah (*Eucalyptus marginata*) forest in Western Australia. *Pedobiologia* **26**: 229-247.
- Majer J.D. 1985. Species richness of ants (Formicidae) in south-western Australia. In: P.Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 16-17.
- Majer J.D. 1985. Seasonality of epigeic invertebrates at Perth, Dwellingup and Manjimup. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 21-22.
- Majer J.D. 1985. Seasonality of ants (Formicidae) in south- western Australia. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 23-26.
- Majer J.D. 1985. A review of pyric succession of soil and litter invertebrates in south-western Australia. In: P.Greenslade, J.D.Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12** : 28-30.
- Majer J.D. 1985. Ant (Formicidae) succession following minesite rehabilitation throughout Australia. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 31 -32.
- Majer J.D. 1985. Invertebrates. In: *Wormsley Alumina Project. Flora and Fauna Studies Phase Two*.
- Majer J.D. 1985. Fire effects on invertebrate fauna of forest and woodland. In: J.R. Ford (ed.), *Fire Ecology and management in Western Australian Ecosystems*. pp. 103-106.
- Majer J.D. 1987. The conservation and study of invertebrates in remnants of native vegetation In: D. Saunders, A. Burbidge, A. Hopkins (eds.), *Nature conservation: The role of remnants of native vegetation* pp. 353-35
- Majer J.D. 1988. The Formicidae. In: R.L. Specht (ed.). *Mediterranean-type ecosystems. A data source book*. pp. 219-224.

- Majer J.D. 1989. Terrestrial invertebrate fauna of *Banksia* woodlands. *J.roy.Soc.West.Austr.* **71**: 95-96.
- Majer J.D. 1990. Rehabilitation of disturbed land: long-term prospects for the recolonization of fauna. *Proc.ecol.Soc.Aust.* **16**: 509-519.
- Majer J.D., Abbott I. 1989. Invertebrates of the jarrah forest. In: B. Dell, J. Havel, N. Maluczek (eds.), *The jarrah forest. A complex mediterranean ecosystem.* pp. 111-122.
- Majer J.D., Greenslade P. 1988. Soil and litter invertebrates. In: R.L. Specht (ed.), *Mediterranean-type ecosystems, a data source book.* pp. 197-226.
- Majer J.D., Koch L.E. 1982. Seasonal activity of hexapods in woodland and forest leaf litter in the south-west of Western Australia. *J.roy.Soc.W.Austr.* **65**(2): 37-45.
- Marcuzzi G. 1962. Studi ecologici e faunistici sui Tenebrionidi (Col. Heter.) della Puglia. *Mem.Biogeogr.Adriat.* **6**: 1-79.
- Marcuzzi G. 1966. Preliminary observations on the soil fauna near Padova (Colli Euganei). *Pedobiologia* **6**: 219-225.
- Marcuzzi G. 1968. Osservazioni ecologiche sulla fauna del suolo di alcune regioni forestali italiane. *Ann.Centr.Econ.montana Venezia* **8**: 209-331.
- Marcuzzi G. 1983. Observations on the Collembolan fauna of South-eastern Abruzzo. *Quad.Ecol.Anim.* **20**: 1-15.
- Marcuzzi G. 1985. Ulteriori dati per una conoscenza della coleotterofauna pugliese. *Quad.Ecol.Anim.* **23**: 1-22.
- Marcuzzi G., Bonometto L. 1973. Secondo contributo alla conoscenza della fauna del suolo di alcune regioni forestali italiane. *Ann.Centr.Econ.montana Venezia* **8**: 141-174.
- Marcuzzi G., Dalla Venezia L. 19 . Osservazioni biocenologiche sulla malacofauna pugliese. pp. 46-53.
- Marcuzzi G., Di Castri F. 1967. Osservazioni ecologico-quantitative sulla fauna del suolo di Recoaro (Prealpi Venete). *Mem.Mus.civ.St.nat.Verona* **15**: 159-172.
- Marcuzzi G., Lorenzoni A.-M., Di Castri F. 1970. La fauna del suolo di una regione delle Prealpi Venete (M. Spitz, Recoaro). Aspetti autecologici. *Atti Ist.veneto Sci.Lett.Arti* **128**: 411-567.
- Marcuzzi G., Turchetto Lafisca M. 1977. Ricerche sui Coleotteri della Puglia raccolti da G. Marcuzzi (1960-63). *Quad.Ecol.Anim.* **9**: 1-186.
- Marmari A. 1991. *Effect of human activities on the fauna of soil arthropods in a Pinus halepensis forest in N. Euboea.* Doct. thesis, Univ. of Athens, 221 pp. (in greek)
- Martinez Ibanez M.D., Serrano Talavera J.M. 1985. Contribucion al conocimiento de las hormigas (Hym., Formicidae) del sabinar español. *Bol.Soc.port.Ent.* **2**: 33-42.
- Mateos E. 1988. Ecologia de los Collémbolos (Collembola, Insecta) edáficos del encinar montano del Montseny (Barcelona). *Misc.zool.* **12**: 97-107.
- Mateos E., Selga D. 1991. Efecto de los incendios forestales sobre las poblaciones de colémbolos edáficos en bosque mediterráneo. *Revue Ecol.Biol.Sol* **28**(1): 19-30.
- Matsakis J., Karamaouna M. 1983. Données préliminaires sur la répartition et l' évolution annuelle des Isopodes et Diplopodes dans un écosystème insulaire (Cyclades-Grèce). *Rapp.Comm.int.Mer Medit.* **28**(8): 119-120

- Matsakis J., Paraschi L., Karamaouna M. 1986. Traits saillants des peuplements édaphiques (meso-arthropodes) d' un écosystème climacique insulaire (Cyclades, Grece). *Rapp.Comm.int.Mer Medit.* **30**(2): 100
- Matsakis J., Tsiourlis G.M., Karamaouna M., Legakis A., Paraschi L., Blandin P., Lamotte M. 1992. Étude d'un écosystème de maquis à *Juniperus phoenicea* L. (Naxos, Cyclades, Grèce): Présentation générale. *Bull.Ecol.* **23**(1-2): 49-58.
- Matthews E.G. 1985. Foraging activity of some tenebrionid beetles in a South Australian mallee area. In: P. Greenslade, J.D. Majer (eds.), Soil and litter invertebrates of Australian mediterranean-type ecosystems. *WAIT School of Biology Bull.* **12**: 63 -64.
- Mawson P.R. 1986. A comparative study of Arachnid communities in rehabilitated bauxite mines. *WAIT School of Biology Bull.* **14**: 1-46.
- McNamara P.J. 1955. A preliminary investigation of the fauna of humus layers in the jarrah forest of Western Australia. *Commonwealth of Australia Forestry and Timber Bureau Leaflet* **71**, 16pp.
- Mena J., Galante E., Lumbreras C.J. 1989. Daily flight activity of Scarabaeidae and Geotrupidae (Col.) and analysis of the factors determining this activity. *Ecol.medit.* **15**(1-2): 29-80.
- Montero A., Christen E. 1974. Meso y mesofauna edáfica en terrenos naturales e intervenidos de la región de Maule. *Publ.reg.* **4**, Univ. de Chile, Talca, 53 pp.
- Moyano F.J., Pascual F., Jimenez E. 1986. Characterization of a spider community. I. Temporary and spatial distribution. *Actas X Congr.int.Aracnol.* **1**: 276.
- Moyano F.J., Pascual F., Jimenez E. 1986. Characterization of a spider community. II. Trophic relations. *Actas X Congr.int.Aracnol.* **1**: 277.
- Narog M. 1988. The composition of epigaeic fauna in California. In: R.L. Specht (ed.), *Mediterranean-type ecosystems. A data source book.* pp. 211-212.
- Narog M. 1991. *Invertebrate responses to the effects of thinning and understory burning in a canyon live oak forest in the San Bernardino National Forest, CA.* M.S. Thesis, Calif.State Univ., San Bernardino, CA. 50 pp.
- Narog M.G., Wilson R.C., Paysen T.E. 1992. Invertebrate responses to the effects of thinning and understory burning in a *Quercus chrysolepis* forest in the San Bernardino Mountains, California. *Can.J.For.Res.* (in press).
- Noodt W., Saiz F., Juhl-Noodt H. 1962. Corte ecológico transversal de Chile central con consideración de los Artrópodos terrestres. *Invest.zool.chil.* **8**: 65-117
- O'Dowd D.J. 1985. Seasonal patterns of the activity of ants in Belair Recreation Park, South Australia. In: P. Greenslade, J.D. Majer (eds.), Soil and litter invertebrates of Australian mediterranean-type ecosystems. *WAIT School of Biology Bull.* **12**: 70-72
- O'Dowd D.J. 1985. Effects of a low intensity fire on the activity of ants and other invertebrates at Belair Recreation Park, South Australia. In: P. Greenslade, J.D. Majer (eds.), Soil and litter invertebrates of Australian mediterranean-type ecosystems. *WAIT School of Biology Bull.* **12**: 73-76
- Ofer J. 1972. *An ecological and statistical research of ant species associations in some biotopes in Israel.* M.Sc.Thesis, The Hebrew University, Dept. of Entomology.
- Ofer J., Shulov A., Noy-Meir I. 1978. Associations of ant species in Israel: a multivariate analysis. *Israel J.Zool.* **27**: 199-208.

- Pantis J.D., Stamou G.P., Sgardelis S.S. 1988. Activity patterns of surface ground fauna in Asphodel deserts (Thessalia, Greece). *Pedobiologia* **32**: 81-87.
- Paraschi L. 1986. Spatial distribution and seasonal variation of the spider community in an insular mediterranean ecosystem. *Biol.gallo-hellen.* **12**: 377-384
- Paraschi L. 1988. *Study on the spiders in maquis ecosystems of southern Greece (mainland-insular)*. Doct. thesis, Univ. of Athens, 237 pp., (in greek)
- Paraschi L. 1990. Aspects of the study of spider communities in two mediterranean ecosystems. *Acta zool.fenn.* **190**: 299-303.
- Perera A. 1986. Estudio de los Aracnidos (Scorpiones, Pseudoscorpiones, Araneae, Opiliones) de un encinar mediterraneo montano (Quercetum mediterraneo-montanum). *Acta X Congr.int.Aracnol.* **1**: 280-281.
- Perera-Liminana A. 1987. Estudi dels aràcnids (escorpins, pseudo-escorpins, opilions) d'un alzar mediterrani muntanyenc: la serra de l'Obac. *I Trobada d'Estudiosos de St. Lorenc del Munt i l'Obac.* pp. 51-56.
- Perera A., Hormiga G. 1985. Consideraciones sobre la distribucion espacial de los araneidos en un encinar mediterraneo montano (Quercetum mediterraneo-montanum). *Acta X Congr.int.Aracnol.* **1**: 280-281.
- Perez-Perez J.A. 1985. Artrópodos epigeos del Macizo de San Juan de la Peña (Jaca, Prov. de Huesca). VIII. Arañas gnafósidas. *Pirineos* **126**: 21-80.
- Poinsot-Balaguer N. 1976. Dynamique des communautés de Colembes en milieu xerique méditerranéen. *Pedobiologia* **16**: 1-17
- Poinsot-Balaguer N. 1984. Comportement des microarthropodes du sol en climat méditerranéen français. *Bull.Soc.bot.Fr.* **131**: 307-318.
- Poinsot-Balaguer N. 1988. Strategies adaptatives des arthropodes du sol en région méditerranéenne. *Proc.5th int.Conf.medit. Ecosyst.* pp. 511-539
- Poinsot-Balaguer N. 1990. Des insectes résistantes à la sécheresse. *Sécheresse* **1990**(1): 265-271.
- Poinsot-Balaguer N., Kabakibi M. 1987. Contribution à l'étude des Collembes des Maures (Var-France). *Ecol.medit.* **13**(3): 115-120.
- Poinsot-Balaguer N., Tabone E. 1985. Étude d'un écosystème forestier méditerranéen I. Composition et structure des peuplements microarthropodiens du sol dans un forêt mixte (chênes verts *Quercus ilex*-chênes blancs *Q. pubescens*) de la région provençale. *Bull.Ecol.* **16**: 149-160
- Poinsot-Balaguer N., Tabone E. 1986. Étude d'un écosystème forestier méditerranéen 2. Composition et structure du peuplement de collembes dans un forêt mixte (chênes verts-chênes blancs) de la région provençale. *Bull.Ecol.* **17**: 87-95
- Postle A.C. 1985. Density and seasonality of soil and litter invertebrates at Dwellingup. In: P.Greenslade, J.D. Majer (eds.), Soil and litter invertebrates of Australian mediterranean-type ecosystems. *WAIT School of Biology Bull.* **12**: 18-20
- Postle A.C. 1988. Density and seasonality of soil and litter invertebrates in Western Australian jarrah forest. In: R.L. Specht (ed.): *Mediterranean-type ecosystems. A data source book.* pp. 198-199.
- Postle A.C. 1989. *The effect of soil type on soil and litter invertebrates of Western Australian jarrah forest.* Ph.D. Thesis, Univ. of Western Australia.

- Postle A.C., Majer J.D., Bell D.T. 1986. Soil and litter invertebrates and litter decomposition in Jarrah (*Eucalyptus marginata*) forest affected by Jarrah dieback fungus (*Phytophthora cinnamomi*). *Pedobiologia* **29**: 47-69.
- Postle A.C., Majer J.D., Bell D.T. 1991. A survey of selected soil and litter invertebrate species from the northern Jarrah (*Eucalyptus marginata*) forest of Western Australia, with particular reference to soil type, stratum, seasonality and the conservation of forest fauna. In: D. Lunney (ed.), *Conservation of Australia's forest fauna*. Roy.Zool.Soc.NSW, Mosman. pp. 193-203.
- Prodon R., Athias-Binche F., Pons T. 1984. *Modalités de cicatrization des écosystèmes méditerranéens apres incendie: évolution de la macro- et de la microfaune en fonction de la régénération de la végétation*. Rapp.Ministr.Environm., Lab. Arago, Paris VI, 203 pp.
- Radea K. 1989. *Study of litter, decomposition and the arthropod community in Aleppo pine ecosystems of insular Greece*. Doct. thesis, Univ. of Athens, 256 pp. (in greek)
- Radea K. 1993. Environmental factors that influence the temporal distribution of predatory macroarthropods in the organic horizon of a mediterranean pine forest. *Biol.gallo-hellen*. **20**(1): 249-258.
- Radea K., Marmari A., Paraschi L., Matsakis J. 1986. Évolution annuelle de certains peuplements d'arthropodes édaphiques dans trois écosystèmes insulaires de la mer Égée. *Rapp.Comm.int.Mer Medit*. **30**(2): 100.
- Radea K., Mylonas M. 1992. Landsnails in the organic horizon of a mediterranean coniferous forest. *Pedobiologia* **36**: 187-192.
- Rambla M. 1981. Sobre una biocenosis formada por el escorpión *Euscorpius flavicaudis* (Geer, 1778) y el opilión *Homalenotus buchneri* Schenkel, 1936 en el litoral sudoeste de la isla de Mallorca (Balears). *Rapp.Comm.int.Mer Medit*. **27**(9): 89-90.
- Rambla M. 1985. Artropódos epigeos del Macizo de San Juan de la Peña (Jaca, Huesca): IV. Opiliones. *Pirineos* **124**: 87-129.
- Ribera C., Hormiga G. 1985. Artrópodos epigeos del Macizo de San Juan de la Peña (Jaca, prov. de Huesca): XI. Arañas linifidas. *Pirineos* **126**: 163-210.
- Richard W.H. 1970. Ground dwelling beetles in burned and unburned vegetation. *J.Range Manag.* **23**: 293-294
- Ridsdill-Smith T.J. 1988. The Scarabaeinae dung beetles. In: R.L. Specht (ed.), *Mediterranean-type ecosystems. A data source book*. pp. 216-218.
- Ridsdill-Smith T.J., Hall G.P. 1984. Seasonal patterns of adult dung beetle activity in South-Western Australia. In: B. Dell (ed.), *Proc.4th.int.Conf.Medit.Ecosyst.* pp. 139-140.
- Ridsdill-Smith T.J., Hall G.P. 1985. Species richness of dung beetles (Scarabaeidae: Geotrupinae) in south-western Australia. In: P.Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems*. *WAIT School of Biology Bull.* **12**: 12-13.
- Ridsdill-Smith T.J., Kirk A.A. 1985. Selecting dung beetles (Scarabaeinae) from Spain for bushfly control in South-Western Australia. *Entomophaga* **30**(3): 217-223.
- Ridsdill-Smith T.J., Weir T.A., Peck S.B. 1983. Dung beetles (Scarabaeidae: Scarabaeinae and Aphodiinae) active in forest habitats in south-western Australia during winter. *J.Austr.Ent.Soc.* **22**: 307-309.
- Rougou C. 1970. *Étude écologique de la microfaune du sol (Collemboles) d'une chênaie soumise à une irradiation gamma chronique*. Thèse 3eme Cycle. Univ. de Marseille, 94 pp.

- Rougon C. 1976. Étude écologique des Collemboles de la chênaie de Cadarache (B.D.R.) *Bull.Ecol.* 7(1): 113-126.
- Rougon C., Rougon D. 1970. Premières données sur les insectes collemboles et coléoptères de la forêt de Cadarache (Bouches du Rhone). *Annl.Fac.Sci.Marseille* 53: 27-34.
- Sacchi C.F. 1955. Fattori ecologici e fenomeni microevolutivi nei Molluschi della montagna mediterranea. *Boll.Zool.* 22(2): 563-652.
- Sacchi C.F. 1963. Origini ed evoluzione della malacofauna appenninica meridionale. *Annu.Ist.Mus.Zool.Univ. Napoli* 15(7): 1-86.
- Sáiz F. 1963. Estudios synecológicos sobre Artrópodos terrestres en el bosque de "Fray Jorge". *Invest.zool chil.* 9: 151-162.
- Sáiz F. 1963. Observaciones synecológicas sobre Artrópodos terrestres en el bosque relicto de Zapallar. *Invest.zool.chil.* 10: 9-25.
- Sáiz F. 1977. Soil beetles. In: N.J.W. Thrower, D.E. Bradbury (eds.), *Chile-California mediterranean scrub atlas.* pp. 184-194.
- Sáiz F. 1988. The composition of soil, litter and epigeic fauna in three different vegetation associations in the semi-arid mediterranean region of Chile. In: R.L. Specht (ed.). *Mediterranean-type ecosystems. A data source book,* pp. 204-211.
- Saulnier L., Athias-Binche F. 1986. Modalité de la cicatrization des écosystèmes méditerranéens apres incendie: Cas de certains arthropodes du sol 2. Les Myriapodes édaphiques. *Vie Milieu* 36(3): 191-204.
- Scotto La Massese C., Du Merle P. 1978. La nématofaune de quelques écosystèmes forestiers du Mont Ventoux. *La Terre et la Vie* 1978(suppl.): 295-314.
- Selga D. 1964. *Estudio de los colembolos de la Espana peninsular.* Tesis Doctoral, Univ. de Barcelona.
- Serrano J.M., Acosta F.J., Alvarez M. 1987. Estructura de las comunidades de hormigas en eriales mediterraneos segun criterios funcionales. *Graellsia* 43: 211-223.
- Serrano J.M., Acosta F.J., Zorrilla J.M., Alvarez M. 1988. El tiempo como variable relativa durante la sucesion de mirmecocenosis en eriales. *Stud.oecol.* 5: 271-285.
- Sgardelis S. 1988. *Effects of fire on the consumers of a phryganic ecosystem.* Doct. thesis, Univ. of Salonica, 221 pp. (in greek)
- Sgardelis S., Margaris N.S. 1983. Seasonal activity of soil fauna in a phryganic (east Mediterranean) ecosystem. In: N.S. Margaris, M. Arianoutsou-Faraggitaki, R.J. Reiter (eds.), *Adaptations to terrestrial environment.* pp. 31-43
- Sgardelis S.P., Margaris N.S. 1993. Effects of fire on soil microarthropods of a phryganic ecosystem. *Pedobiologia* 37: 83-94.
- Sgardelis S., Stamou G., Margaris N.S. 1981. Structure and spatial distribution of soil arthropods in a phryganic (east Mediterranean) ecosystem. *Revue Ecol.Biol.Sol* 18(2): 221-230
- Specht M.M. 1985. Seasonality of aerial, litter and soil fauna in Dark island heathland, South Australia. In: P. Greenslade, J.D. Majer (eds.), *Soil and litter invertebrates of Australian mediterranean-type ecosystems.* *WAIT School of Biology Bull.* 12: 39-42

- Springett J.A. 1971. The effects of fire on litter decomposition and on the soil fauna in a *Pinus pinaster* plantation. *Proc.4th Coll.Zool.Comm.Int.Soc.Soil Sci.* pp. 529-535.
- Springett J.A. 1976. The effect of planting *Pinus pinaster* Ait. on populations of soil microarthropods and on litter decomposition at Gngangara, Western Australia. *Austr.J.Ecol.* **1**: 83-87.
- Springett J.A. 1976. The effect of prescribed burning on the soil fauna and on litter decomposition in Western Australian forests. *Aust.J.Ecol.* **1**: 77-82.
- Springett J.A. 1979. The effects of a single hot summer fire on soil fauna and on litter decomposition in jarrah (*Eucalyptus marginata*) forest in Western Australia. *Austr.J.Ecol.* **4**: 279-291.
- Stamatiadis S., Dindal D.L. 1990. The soil ecology of dry Mediterranean ecosystems with emphasis on the role of invertebrates in vegetal decomposition. *Annls.Mus.Goulandris* **8**: 441-472.
- Stamou G.P., Asikidis M.D., Argyropoulou M.D., Sgardelis S.P. 1993. Ecological time versus standard clock time: the asymmetry of phenologies and the life history strategies of some soil arthropods from Mediterranean ecosystems. *Oikos* **66**: 27-35.
- Stamou G.P., Sgardelis S., Margaris N.S. 1984. Arthropod distribution pattern on a mountain gradient (Mt. Olympus, Greece). *Revue Ecol.Biol.Sol* **21**(4): 491-505.
- Trihas A., Legakis A. 1986. Temporal variation and spatial distribution of ground Coleoptera in an insular mediterranean ecosystem (Cyclades is., Greece). *Rapp.Comm.int.Mer Medit.* **30**(2): 98.
- Trihas A., Legakis A. 1991. Phenology and patterns of activity of ground Coleoptera in an insular mediterranean ecosystem (Cyclades is., Greece). *Pedobiologia* **35**: 327-335.
- Urones C. 1985. Los artrópodos epigeos del Macizo de San Juan de la Peña (Jaca, prov. de Huesca): VII. Arañas clubionoides. *Pirineos* **126**: 43-59.
- Urones C. 1985. Artrópodos epigeos del Macizo de San Juan de la Peña (Jaca, prov. de Huesca): VI. Arañas tomisoides. *Pirineos* **126**: 29-41.
- Vannier G. 1978. Les principaux groupes de microarthropodes: importance numerique et rélation avec le régime hydrique stationnel. In: P. Lossaint & M. Rapp, La forêt méditerranéenne de chênes verts (*Quercus ilex* L.). From: M. Lamotte, F. Bourliere (eds.), *Problèmes d'Écologie: Structure et fonctionnement des écosystèmes terrestres.* pp. 135-138.
- Vicente M.C., Ascaso C. 1991. Analisis de la composicion faunistica y variacion estacional de los diplopodos de tres habitats del Montseny (Barcelona). pp. 403-412.
- Warburg M.R., Ben Horin A. 1979. Thermal effect on the diel activity of scorpions from mesic and xeric habitats. *J.Arid Environ.* **2**: 339-346.
- Warburg M.R., Goldenberg S., Ben-Horin A. 1980. Scorpion species diversity and distribution within the Mediterranean and arid regions of northern Israel. *J.Arid.Environ.* **3**: 205-213.
- Warburg M.R., Linsenmair K.E., Bercovitz K. 1984. The effect of climate on the distribution and abundance of Isopods. *Symp.zool.Soc.London* **53**: 339-367.
- Warburg M.R., Rankevich D., Chasanmus K. 1978. Isopod species diversity and community structure in mesic and xeric habitats of the Mediterranean region. *J.Arid Environ.* **1**: 157-163.
- Whelan R.J., Langedyk W., Pashby A.S. 1980. The effects of wildfire on arthropod populations in Jarrah-*Banksia* woodland. *West.Aust.Nat.* **14**: 214-220.
- Zorrilla J.M., Serrano J.M., Casado M.A., Acosta F.J., Pineda F.D. 1986. Structural characteristics of an ant community during succession. *Oikos* **47**: 346-354.